Pro-Active and Responsive Facilitation by Interactive,

Hub

Single-Window

Environmental

Virtuous

pue



Government of India Ministry of Environment, Forest and Climate Change (Issued by the State Environment Impact Assessment Authority(SEIAA), Maharashtra)

To.

The Addl Chief Project Manager MAHARASHTRA METRO RAIL CORPORATION LIMITED (PUNE METRO RAIL PROJECT)

Office of the Pune Metro rail project, 101, The orion, opposite Don Bosco Youth Centre Koregaon Park, Pune 411001 -411001

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam.

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/MIS/181846/2020 dated 04 Nov 2020. The particulars of the environmental clearance granted to the project are as below.

EC Identification No.

2. File No.

8.

3. **Project Type**

4. Category

Project/Activity including 5. Schedule No.

6. Name of Project

Name of Company/Organization 7.

EC22B038MH168241 SIA/MH/MIS/181846/2020

New R2

8(a) Building and Construction projects

Swargate multi modal transit hub MAHARASHTRA METRO RAIL

CORPORATION LIMITED (PUNE METRO RAIL PROJECT)

Maharashtra **Location of Project** N/A

TOR Date

The project details along with terms and conditions are appended herewith from page no 2 onwards,

Date: 08/07/2022

(e-signed) Manisha Patankar Mhaiskar **Member Secretary** SEIAA - (Maharashtra)



Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH.Please quote identification number in all future correspondence.

This is a computer generated cover page.

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/MIS/181846/2020 Environment & Climate Change Department Room No. 217, 2nd Floor, Mantralaya, Mumbai- 400032.

Maharashtra Metro Rail Corporation Limited (PUNE METRO RAIL PROJECT), T. P. Scheme no. - 03, Final Plot no. - 499 Swargate, Pune

> : Environment Clearance for Swargate Multi Modal Transit Hub at T. P. Subject Scheme no. - 03, Final Plot no. - 499, Swargate, Pune by "Maharashtra

> > Metro Rail Corporation Limited" (PUNE METRO RAIL PROJECT)

Reference : Application no. SIA/MH/MIS/181846/2020

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-3 in its 123rd meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 244rd (Day-2) meeting of State Level Environment Impact Assessment Authority (SEIAA).

Brief Information of the project submitted by you is as below:-

Proposal Number	SIA/MH/MIS/181846/2020				
	Swargate Multi Modal Transit Hub at Swargate Pune by "Maharashtra Metro Rail Corporation Limited"				
Project category	8a (B2)				
Type of Institution	Government				
Project Proponent	Name	Swargate Multi Modal Transit Hub by "Maharashtra Metro Rail Corporation Limited"			
	Regd. Office address	Metro house, 28/2 Anand Nagar, C K Naidu Marg, Civil Lines, Nagpur, Maharashtra, India, 440001			
	Contact number				
	e-mail	rajesh.jain@mahametro.org			
Consultant	sd Engineering Services Pvt. Ltd. NABET/EIA/1922/RA0136				
Applied for	Fresh EC				
Details of previous EC	NA NA				
Location of the project	T. P. Scheme no 03, Final Plot no 499, Swargate, Pune				
Latitude and Longitude	Latitude - 18°29	"58.21 »N, Longitude 73°51"28.17 »E			
Total Plot Area (m2)	28,000.00				
Deductions (m2)	-				
Net Plot area (m2)	28,000.00				
Proposed FSI area (m2)	45,390.91				
Proposed non-FSI area (m2)	53,412.25				
Proposed TBUA (m2)	98,803.16				

TBUA (m2) appr	roved by L							
Planning Authori		une Municir	nal Corno	ration				
date		Pune Municipal Corporation						
Ground coverage	(m2) &	500.05.400			·			
%	8,	539.87 (30.4	19%)					
Total Project Co	ost (Rs.)	Rs. 255 Cr						
CER as per MoE	F&CC	Activity	Location	on		Cost (Rs.)	Duration	
circular dated 01/		NA	NA	NA		NA	NA	
Direction Gatou 01/03/2010				GRAND TOTAL				
Details of Build	ling Confid	aretion:	CICAL	DIO	IAL			
<please follo<="" td="" use=""><td></td><td></td><td>Parkin</td><td>a = D b</td><td>Podium = Po</td><td>T-11-11-11-11-11-11-11-11-11-11-11-11-11</td><td>Reason for</td></please>			Parkin	a = D b	Podium = Po	T-11-11-11-11-11-11-11-11-11-11-11-11-11	Reason for	
=St,Lower Groun							Modification	
Previous EC / E	existing Bu		oposed			CONT.	Change	
Buildin	"The west of		nildil	32.02.00	9	Height		
Config	mranion .	m) ng	II OI	nfigur	ation	(m)	At	
Name	ACC.	5-12-140	ame			The state of the s		
7 1					asement) + CC	29.85	m2: \	
49					irse level) + UC			
- 37 1	4814.51	- P	hase (L	pper (Concourse) + Lo	3		
# #		2			r Ground) + G and) + 5 floors	18. 18		
# Sh			(31	B = 2B	for Metro + II	3)		
# 19	Marie All P	Retail -	67	Sugar.	- 10k	446 ES	526	
Total number of	ftenement	Lancon Programme		September 1	- Wi	19	12	
	13/10		ex - 8 sc	reenc	The second of			
- 18	Dry Season				eason (CMD)	THE PERSON NAMED IN THE PE	1/2	
13 34	Dry bouson	152 Dom		W. OC IS	Austria (Civip)	152 Dome	ectic	
15 100	Fresh Wate	Fresh Water 23 cooling tower Fre			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		bilestic	
1 TE2	alsa iss	make up				产工程度 提		
250	Recycled	37 Garde	ning	4.40	0.05	30		
	(Gardening		Park and a second	Recycled (Gardening)				
Water Budget	Swimming	The second second		C AST		0	7 7 7	
1 4 mg	Pool		COMPAND OF STREET	Swimn	ning Pool		2.5000	
Total Walter	Special Control of the Control of th	120 flush	ning +	3180		120 flushi	ng + 56	
100	Flushing		77 cooling tower Flushi		ng	cooling tower make		
-25524		make up						
- C - C - C	Total	409	ANTON	Total	Salget Sar	328		
Villa.	Waste water	er Dea		S1 - 211(47)	water.	0.00		
	generation	257	518912 History	waste	water generatio	n 257		
Water Storage	Fire UG ta	nk – 125 x 2	The street		2 20 to 10	Ŷ		
Capacity for	Fire Overh	ead tank - 2	Nos. 20	cum	75 -42 6 F			
Firefighting /	Domestic 7	Γank - 152 I	KL .	ALLEY.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
UGT	Flushing T		W 23		1			
Source of water	Local Boo	ły						
	Level of the Ground water table:				2.55 m BGL			
Rainwater	Size and r	Size and no of RWH tank(s) and				1 touls of consolts Out - 5 5		
Harvesting	Quantity:				l tank of capacity 8m x 5m x 5i		om x om	
(RWH)		and size of	recharge	e pits:	- ×			
		UGT tank						

Wastewater	Sewage generation		257				
	STP tech		ology: MBBR				
-		of STP	270				
	Туре		Quantity (kg/d)	Treatment / disposal			
Solid Waste Management during Construction Phase	Dry wast	e:		Collected 1	by Ghantagadi		
	Wet was		6	Collected 1	by Ghanta	y Ghantagadi	
	Construct	tion	Excavated material fromproposed buildings.	Top soil w landscapin material us	g and part	excavated	
	Туре		Quantity (kg/day)	Treatment			
	Dry wast	te:	2164	Handed over to authorized Recyclers			
Solid Waste	Wet was	te:	2480	Organic W	ertor		
Management during Operation Phase	Hazardo	us waste:	DG Spent oil	Handed over to authorized Recyclers		orized	
	Biomedi Waste	ical	NA .	NA			
	E-Waste	, St. 15	31.3	Handed over to Authorised Vendor			
100	STP Sludge (dry) 21 Kg/day			Will be used as manure			
4.		G area (m		Provided green area = 4,300			
<i>b</i> .	Existing trees on plot:			142			
Green Belt			be planted:	350			
Development	Number of trees to be cut:			0			
	Number of trees to be transplanted:			337 (Already transplanted 196 + Trees to be transplanted 141)			
TATE OF THE	Source o	Source of power supply:			MSEDCL		
	During Construction Phase (Demand Load):			150 KW			
Power	During (Operation	phase (Connected load):	: 6428 KW			
requirement:			phase (Demand load):	4507 KW			
25	Transformer:			1600 KVA X 4 Nos.			
	DG set:			750 KVA X 7 Nos + 630 KVA X 2 Nos			
	Fuel use	d:	and the second second	HSD			
Details of				ESSE .		7	
Energy saving		Solar PV system– 5.02% Fotal Energy Saving – 20%					
Environmental Management plan budget during	Туре				Cost		
	Capital	Air, water, land, biological environment ar socioeconomic environment			32.11 Lakh		
Construction Phase	0&M	Air, water and Noise Monitoring			1.08 Lakh/annum		
Environmental	Compon	ent	Details	Capital (Rs.in O&M			
Management		0.0	Lacs) (Rs.in			(Rs.in Lacs/Y)	

plan Budget	Storm water		~	-	
during	Sewage treatment	STP	41.96	16.72	
Operation	Water treatment	_	-	-	
phase	RWH	RWH tanks	16.00	1.00	
	Swimming Pool	~	-	-	
	Solid Waste	OWC	42.50	11.84	
	Hazardous waste	-	-	H	
	E waste	Handed over to Authorized Vendor	-	-11	
	Green belt developme nt	Gardening	78.80	4.27	
		Other measures	40	2	
	Energy saving	Renewable energy	84	6	
	Environment al Monitoring	From MoEF&CC approved lab		10.59	
	Disaster Management	Construction Phase	86.50	1.20	
AF .		Operation Phase	127.95	17.67	
// 4	Sewage PumpingCost			V.	
Traffic Management	Type Require	ed as per Actual Provided	Area per parking (m ²)		
	4- Wheeler	352	Area provided for parking		
	2- Wheeler	857	is 24,161.72 m	\mathbf{n}^2	
	Bicycles 705	705			

3. Proposal is a new construction project, Proposal has been considered by SEIAA in its 244th (Day-2) meeting and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

- Committee noted that, there was some complaint received with respect to project under consideration. PP explains the same and ensures that, the complaint is not pertaining to the project under consideration. Accordingly, to submit the under taking regarding there is no legal case pending pertaining to the project under consideration.
- 2. PP to submit the excavation management plan.
- 3. PP to submit the tree transplantation plan along with photographs.
- 4. It is noted that, PP & Environment consultant stated that, for this project RG is not required. PP to submit the specific local rules, norms for clarifying the same.

B. SEIAA Conditions-

1. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types &

- strength to increase the water permeable area as well as to allow effective fire tender movement,
- 2. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
- 3. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
- 4. SEIAA after deliberation decided to grant EC for FSI- 48025.05 m2, Non FSI- 50778.11 m2 and Total BUA- 98803.16 m2 (Plan approval-Zone 7/623, dated-12.05.2022).

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
 - IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
 - X. The Energy Conservation Building code shall be strictly adhered to.
 - XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.

- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas)

 Protection and Preservation of Trees Act, 1975 as amended during the validity of
 Environment Clearance.
- XVII. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVIII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
 - XIX. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
 - XX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.

- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at Error! Hyperlink reference not valid parivesh nic. in
- XII. Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
- XIII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIV. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.

- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
- 6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
- 8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the

Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Manisha Patankar-Mhaiskar (Member Secretary, 2014)

Copy to:

- 1. Chairman, SEIAA, Mumbai.
- 2. Secretary, MoEF & CC, IA-Division MOEF & CC
- 3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
- 4. Regional Office MoEF & CC, Nagpur
- 5. District Collector, Pune.
- 6. Commissioner, Pune Municipal Corporation
- 7. Regional Officer, Maharashtra Pollution Control Board, Pune.